



Mirror profiles



AL010

Mirror
profile

AL010 MIRROR PROFILE



Thanks to simplicity and elegance in all aspects, the mirror profiles represent a valid and unique solution. They are easy-to-install, available in different sizes and can be customized in height and length on request.

CONTEMPORARY DESIGN

No visible frame.
The aluminium profile protects the edge of the mirror, thus avoiding damages caused by accidental hits.




FLEXIBLE MOUNTING

Easy and effective installation. Accidental fallings are avoided.
Possibility to choose the mirror positioning (vertical or horizontal) during installation.

Possibility to carry out vertical adjustment on the wall support.

The perimetrical Led lighting contributes to make mirror profiles a functional and refined product.


OPTIONAL BACKLIGHT




AVAILABLE FINISHES FOR ALUMINIUM PROFILE



GENERAL RULE FOR WALL DRILLING




COVER LIGHT DIFFUSER (optional)




SUPPLY OPTION FOR AL010 MIRROR PROFILE

Loose components supply




ALUMINIUM PROFILE AL010

10 bars lenght 1980 mm



COVER LIGHT DIFFUSER

10 stripes lenght 2000 mm




ASSEMBLING AND FIXING ACCESSORIES

Loose items in cardboard box


Complete mirror supply




Different configurations
and features available



Corner protections




Solid cardboard packaging with
assembling instructions




AL010 MIRROR PROFILE - Loose components supply

FINISHED MIRROR SIZE




MIRROR COMPONENTS



WORKING SPECIFICATIONS		AVAILABLE TEMPLATES
Cutting specifications		<p>TEMPLATE FOR FRAME ASSEMBLING See details at page 8</p>
Cutting specifications		<p>TOOL FOR CUTTING COVER LIGHT DIFFUSER See details at page 9</p>
Optional hole		<p>DRILLING JIG FOR SPOT LIGHT HOLE See details at page 8</p>

ALUMINIUM PROFILE AL010



Aluminium

= 10 pcs.



Finish

K1 PR0023 A01

Natural Aluminium anodized

K1 PR0023 A02

Bright Aluminium anodized

K1 PR0023 V01

Anthracite varnished

K1 PR0023 V02


White 9010 varnished

The product code includes 10 pcs profiles.

NOTE:

+ Other finishes available on request

COVER LIGHT DIFFUSER



Opaline plastic

= 10 pcs.




Finish

K1 PR0024 N00

White

The product code includes 10 pcs covers.

CORNER JOINT AND SCREW



Steel

= on request




Finish

K3 FR0010 G01

Zinc-plated

Consider 4 pcs. per frame.



Steel

= on request




Finish

60305010ZN

Zinc-plated

Consider 8 pcs. per frame.

WALL PLATE



Stainless steel

= on request



Finish


K3 FR0011 N00

Stainless steel


Consider 2 pcs. per frame.

AL010 MIRROR PROFILE - Templates for assembling and drilling

TEMPLATE FOR ALU. PROFILE ASSEMBLING





Engineering plastic

 = on request




K1 SM0024 N00

DRILLING JIG FOR OPTIONAL HOLE




Aluminium

 = on request




K1 SM0025 N00

TEMPLATE FOR ALU. PROFILE ASSEMBLING




Engineering plastic

 = on request





K1 SM0027 N00


TOOL FOR CUTTING COVER LIGHT DIFFUSER



CUTTING DIMENSIONS
ADJUSTMENT





Aluminium

 = on request




K1 SM0026 N00





SPOTLIGHT 75 x 75 mm



Watt & Volt: 4,8W - 12 Vdc



= on request



Light colour

Finish

XXXXXXXXXX

Warm white

Chrome-plated


XXXXXXXXXX

Natural white

Chrome-plated



SPOTLIGHT Ø75 mm



Watt & Volt: 3,6W - 12 Vdc



= on request



Light colour

Finish

XXXXXXXXXX

Warm white

Chrome-plated


XXXXXXXXXX

Natural white

Chrome-plated



SPOTLIGHT A



Watt & Volt: 5W - 230 Vac



= on request



Light colour

Finish

XXXXXXXXXX

Warm white

Chrome-plated

XXXXXXXXXX

Natural white

Chrome-plated

XXXXXXXXXX

Warm white

Black matt


XXXXXXXXXX

Natural white

Black matt



SPOTLIGHT B



Watt & Volt: 5W - 230 Vac



= on request




Light colour

Finish

XXXXXXXXXX

Warm white

Chrome-plated



www.italianaferramenta.com